

AMENDMENT TRANSMITTAL LETTER (Large Entity)

Applicant(s): Mehmet Tanacan et al.

Docket No.

0267-001-1800

Serial No.

10/777,193

Filing Date

02/13/2004

Examiner

TBD

Group Art Unit

2833

Invention: LIVE CIRCUIT INDICATOR FOR PLUGS AND RECEPTACLES

TO THE COMMISSIONER FOR PATENTS:

Transmitted herewith is an amendment in the above-identified application.

The fee has been calculated and is transmitted as shown below.

CLAIMS AS AMENDED

	CLAIMS REMAINING AFTER AMENDMENT	HIGHEST # PREV. PAID FOR	NUMBER EXTRA CLAIMS PRESENT	RATE	ADDITIONAL FEE
TOTAL CLAIMS	17	20 =	0	x \$18.00	\$0.00
INDEP. CLAIMS	2	3 =	0	x \$86.00	\$0.00
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT					\$0.00

- ☒ No additional fee is required for amendment.
- ☐ Please charge Deposit Account No. _____ in the amount of _____
- ☐ A check in the amount of _____ to cover the filing fee is enclosed.
- ☐ The Director is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No.
- ☐ Any additional filing fees required under 37 C.F.R. 1.16.
- ☐ Any patent application processing fees under 37 CFR 1.17.



Signature

Dated: November 30, 2004

Paul J. Sutton, Esq.
Reg. No. 24,201
Greenberg Traurig, LLP
200 Park Ave
New York, NY 10166
Tel. No. 212.801.2108

I certify that this document and fee is being deposited on
November 30, 2004 with the U.S. Postal Service as first
class mail under 37C.F.R. 1.8 and is addressed to the
for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.




Signature of Person Mailing Correspondence

Marilyn Dawkins

Typed or Printed Name of Person Mailing Correspondence

cc:



0267-001-1800

Applicants : Mehmet Tanacan et al.
Case : 0267-001-1800
Serial No. : 10/777,193
Filing Date : February 13, 2004
Title : **LIVE CIRCUIT INDICATOR FOR PLUGS AND CONNECTORS**
Group Art Unit : 2833
Examiner : TBD

PRELIMINARY AMENDMENT

Prior to examination of the above identified application, please amend the present application as follows: